



User Manual

9IN1 USB-C HUB 4K GAMERS EDITION

PDX526

SPECIFICATIONS

- Supports USB3.0 5Gbps transmission rate, backward compatible with USB2.0/1.1/1.0
- Supports USB-C PD3.0 100W
- Supports HDMI 4K@30Hz output
- Supports Gigabit Ethernet
- Supports Micro SD (TF)/SD/MMC cards
- Supports audio 3.5mm

Hardware requirements:


- Device with free USB-C or Thunderbolt3 port

Requirements for Power Delivery (USB-C PD) function:

- Device with free USB-C port or Thunderbolt3 with "Power Delivery" support


Requirements for HDMI video output:

- Device with USB-C port with support for "DP Alt Mode" (DisplayPort Alternate Mode) or Thunderbolt3 port



1. USB-C Input
2. USB-C PD 100W, Charge only. No Data transmission. USB-C port or Thunderbolt3 with "Power Delivery" required
3. HDMI 4K@30Hz, USB-C port with support for "DP Alt Mode" (DisplayPort Alternate Mode) or Thunderbolt3 port required
4. USB-A 3.0 5Gbps
5. USB-A 3.0 5Gbps

6. USB-A 3.0 5Gbps
7. SD/MMC card reader
8. TF card reader
9. Gigabit Ethernet
10. Audio 3.5mm (3 pins / 4pins)



FAQ

1. HDMI output doesn't work

A USB-C port that supports "DP ALT Mode" (DisplayPort Alternate Mode) or a Thunderbolt 3 port is required, otherwise the HDMI output will not work.

2. USB-C port can't transmit data

USB-C port is only for PD 100W charge, No Data transmission.

3. I can't charge my device via USB-C port

USB-C port should support "Power Delivery"

4. Cards reader can't read cards

The card reader can only read one card per time. Please extract all cards and only insert one card per time.

5. Ethernet doesn't work

Maybe you need to install driver in your operating system. Please visit www.aisenstech.com to download the drivers.

SERVICE COMMITMENT

Use the device according to the instructions of manual, if any quality problems (except man-made), will offer one year warranty to repair or replacement.

Please send the device back to our company for repair when the user's place cannot be repaired.

We will repair it and ship out within 2 weeks once received return device.

For more information, please contact our support team:

support@porodo.net

www.porodo.net





دليل المستخدم
محول يو اس بي-سي ٩ في ا بدقة ٤K
نسخة خاصة للاعبين

PDX526

المواصفات

يدعم معدل نقل USB ٣.٠ بسرعة ه جيجابت في الثانية، متوافق مع الإصدارات السابقة USB ٢.٠، ١.١.

يدعم USB-C PD بقوة ١٠٠ وات

يدعم إخراج HDMI بدقة ٣٠.Hz *K٤

يدعم Ethernet Gigabit

يدعم بطاقات Micro SD (TF)/SD/MMC

يدعم الصوت بمقاس ه.٣ ملم

متطلبات الأجهزة:


جهاز مع منفذ USB-C أو Thunderbolt ٣ شاعر

متطلبات وظيفة توصيل الطاقة (USB-C PD):

جهاز مع منفذ USB-C شاعر أو Thunderbolt ٣ مع دعم "Power Delivery"

متطلبات إخراج فيديو HDMI:

جهاز مع منفذ USB-C مع دعم "DP Alt Mode" (DisplayPort Alternate Mode) أو Thunderbolt ٣



١. مدخل USB-C.

٢. يو اس بي-سي بي دي ١٠٠ واط، شحن فقط. لا يوجد نقل بيانات. يتطلب منفذ USB-C أو Thunderbolt ٣ مع


دعم "Power Delivery"

٣. HDMI، يتطلب منفذ USB-C مع دعم "DP Alt Mode" (DisplayPort Alternate Mode) أو منفذ Thunderbolt ٣

٤. يو اس بي-أيه ٣.٠ بسرعة ه جيجابت في الثانية

٥. يو اس بي-أيه ٣.٠ بسرعة ه جيجابت في الثانية

- ٦. ٣.٠ USB-A بسرعة ه ججابت في الثانية
- ٧. قارئ بطاقة SD/MMC
- ٨. قارئ بطاقة TF
- ٩. Ethernet Gigabit
- ١٠. صوت ٣.٥ ملم (٣ أو ٤ دبابيس)



الأسئلة الشائعة:

١. إخراج HDMI لا يعمل
يتطلب وجود منفذ USB-C يدعم "DP ALT Mode" (DisplayPort Alternate Mode) أو منفذ Thunderbolt ٣، وإلا فإن إخراج HDMI لن يعمل.
٢. منفذ USB-C لا يمكنه نقل البيانات
يستخدم منفذ USB-C فقط لنسخ بقوة ١٠٠ واط ولا يمكن نقل البيانات من خلاله.
٣. لا يمكنني شحن جهازي عبر منفذ USB-C
يجب أن يدعم منفذ "Power Delivery" USB-C.
٤. قارئ البطاقات لا يستطيع قراءة البطاقات
قارئ البطاقات يمكنه قراءة بطاقة واحدة فقط في كل مرة. يرجى إخراج جميع البطاقات وإدخال بطاقة واحدة فقط في كل مرة.
٥. لا يعمل الاتصال بشبكة Ethernet
قد تحتاج إلى تثبيت برنامج تشغيل في نظام التشغيل الخاص بك. يرجى زيارة www.aisenstech.com لتنزيل برامج التشغيل.

التزام الخدمة:

استخدم الجهاز وفقاً لتعليمات الدليل، وإذا كانت هناك أية مشاكل في الجودة (باستثناء الأخطاء البشرية)، سنقدم ضماناً لمدة عام للإصلاح أو الاستبدال.
يرجى إرجاع الجهاز إلى شركتنا للإصلاح عندما لا يمكن إصلاحه في مكان المستخدم.
سنقوم بإصلاحه وشحنه خلال فترة أقصاها أسبوعين بعد استلام الجهاز المرتجع.

For more information, please contact our support team:

support@porodo.net

www.porodo.net

 porodo

 myporodo