



LEVELD



ASPEN

3 IN 1 MAGNETIC WIRELESS CAR

LVLS31CCBK

LVLS31CCGY

About adapter

- Max Output: 15W (max)
- Use PD Or QC3.0 for best use



Holder installation method


1. Follow the arrows to install 3 parts



2. Adjust the screw cap to the best active status



3. Press the button of clip to fix, then adjust the angle and tighten the fixed nut.




Earbuds charging indicator is light is in the center of the magnetic surface of the product Earbuds charging.

Product Specification

Fast Wireless Charger

- Input: 5V/2A, 9V/2A, 12V/2A
- Output: 15W
- Charging Efficiency: 70%

 The following situations can cause issues such as slow charging, charging interruptions, or overheating.

1. The adapter is not run up to standard (No PC USB output power supply)
2. The charging cable is not up to standard
3. The phone case is too thick (within 2mm thickness phone case recommended)
4. There is metal on the back of cell phone or phone case
5. Smartphone does not support wireless charging function.



Attention

1. When using the power adapter, please make sure that the cable is fully inserted into the power adapter before plugging the adapter into the power outlet.
2. Use in an environment with temperatures between -20°C and 45°C
3. Please do not use this product in adverse environments. Keep it away from fire, water, and other liquids.
4. When using this product, please do not place metal foreign objects (such as keys, coins, batteries, chip cards, or jewelry) on the charging pad, to avoid damage.
5. If you need to clean the charger, please make sure it is not connected to power supply.
6. Do not disassemble this product.





 www.levelobrand.com

 levelobrand

Made in China





LEVEL 0



أسبن

شاحن سيارة لاسلكي مغناطيسي ٣ في ١ .

LVLS31CCBK

LVLS31CCGY

عن المحول

استبدل الطرف

- قصي إخراج: ٥٥ واط (كحد أقصى)
- الرجاء استخدام محول PD أو QC 3.0




طريقة تركيب الحامل



• اتبع الأسهم لتثبيت الأجزاء الثلاثة



• اضبط غطاء المسمار بالطريقة المفضلة لديك



• اضغط على زر المشبك لإصلاحه، ثم اضبط الزاوية المناسبة لك

ضوء المؤشر LED

مؤشر شحن سماعة الرأس هو الضوء الموجود في منتصف السطح المغناطيسي لشحن المنتج.
TbcLED mndicarex ثابت على المنتج

مواصفات المنتج

شاحن لاسلكي سريع

مدخل: 2A-12V/2A-9V/2A-5V

إنتاج: 15 واط (كحد أقصى)

كفاءة الشحن: 70%

يمكن أن يتسبب المواقف التالية في حدوث أعطال، مثل الشحن ببطء، التوقف عن الشحن، وارتفاع درجة الحرارة في موضع الشحن .

١. لم يتم تشغيل المحول وفقاً للمعايير (لا يوجد مصدر طاقة)

٢. محول الشحن ليس وفقاً للمعايير

٣. غطاء الهاتف سميك جداً (يوصى بغطاء سمكه ٢ مم)

٤. توجد قطعة معدنية خلف الهاتف أو خلف غطاء الهاتف

٥. الهاتف الذكي لا يدعم الشحن اللاسلكي



١. عند استخدام محول الطاقة، يرجى التأكد من إدخال المحول بشكل كامل في محول الطاقة قبل توصيل المحول بمأخذ الطاقة
٢. يستخدم ضمن درجة حرارة ما بين 20 الى 40
٣. عدم استخدام هذا المنتج في البيئـة، يرجى الابتعاد عن النار والماء أو غيرها من السوائل
٤. عند استخدام هذا المنتج، يرجى عدم وضع الأجسام المعدنية الغريبة (مثل المفاتيح، أو العملات المعدنية، أو البطاريات، أو المجوهرات وما إلى ذلك) الموجودة على محول الطاقة عند الشحن لتجنب التلف
٥. إذا كنت بحاجة إلى تنظيف الشاحن، يرجى التأكد من عدم توصيله بمصدر الطاقة
٦. لا تقم بفك هذا المنتج



M
L E V E L O

 www.levelobrand.com

 l e v e l o b r a n d

Made in China

